## Reading 18

## **Isometries**

One more definition about metric spaces. When are two metric spaces equivalent?

**Definition 18.0.1.** Let X and Y be metric spaces. A function  $f: X \to Y$  is called an *isometry* if

- (i) f is a bijection, and
- (ii) For all  $x, x' \in X$ , we have that d(f(x), f(x')) = d(x, x').

Informally, f is a function that "preserves" the distances in the domain with the distances in the codomain.

**Example 18.0.2.** As an example, fix a real number a and let  $f : \mathbb{R}^2 \to \mathbb{R}^2$  be the function sending a vector x to ax. This is an isometry if and only if  $a = \pm 1$ .

Your mathematical scope has expanded so much! We now know about sets (two of which are equivalent when there is a bijection between them), posets (two of which are equivalent when there is a poset isomorphism between them), spaces (two of which are equivalent when there is a homeomorphism between them), and metric spaces (two of which are equivalent when there is an isometry between them).

<sup>&</sup>lt;sup>1</sup>Note that this equality involves the metric on Y and the metric on X.

## 18.1 Exercises

**Exercise 18.1.1.** (a) Let  $f: X \to Y$  be an isometry. Show that the inverse function to f is also an isometry.

(b) Show that the composition of two isometries is an isometry.

Exercise 18.1.2. Is every isometry a homeomorphism?

Given two metric spaces X and Y, and a homeomorphism f from X to Y (giving each space the metric topology), must f be an isometry?

**Exercise 18.1.3.** Fix a real number  $\theta$  and consider the matrix

$$A = \begin{pmatrix} \cos(\theta) & -\sin(\theta) \\ \sin(\theta) & \cos(\theta) \end{pmatrix}.$$

Show that the function  $x\mapsto Ax$  is an isometry of  $\mathbb{R}^2$  with the standard metric.

For what values of  $\theta$  is this an isometry for the taxicab metric? For the  $l^{\infty}$  metric?